

DECLARATION OF PERFORMANCE**No. DoP-15091-01/E**

1. Unique identification code of the product type:

**Sanitary tapware - Electronic opening and closing sanitary tapware
General technical specification
See the list attached**

2. Product type, Batch or serial number or any other element allowing identification of the construction products as required under Article 11 (4) of the CPR:

It is applicable;

for electrically operated (opening and closing) sanitary tapware used with sanitary appliances.

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Personal Hygiene (PH) / Type 1

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required 11 (5)

**Eczacıbaşı Building Materials ArtemA Faucet Division
4 Eylül Mah. İ. İnönü Cad. Düzdağ Yolu 1 No : 4
Bozüyük/BİLECİK
TURKEY**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Eczacıbaşı Building Materials - ARTEMA Faucet Division
4 Eylül Mah. İ. İnönü Cad. Düzdağ Yolu 1 No : 4
Bozüyük/BİLECİK
TURKEY**

Tel : 00 90 228 314 07 90

Fax : 00 90 228 314 07 96

Email : nazli.eras@vitra.com.tr

<http://vitraglobal.com/>

6. System or systems of assessment and verification of consistency of performance of the construction product as set out in CPR, Annex V:

System 4

DECLARATION OF PERFORMANCE**No. DoP-15091-01/E**

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard.

TS EN 15091

8. Declared performance:

| Product : TS EN 15091 | | |
|---|-----------------------|---|
| Essential Characteristics | Performance | Harmonised Technical Specification |
| Dynamic Pressure - min | 0,5 Bar - Pass | TS EN 15091 February, 2014 |
| Static Pressure - max | 10 Bar - Pass | |
| Temperature | ≤ 65 °C - Pass | |
| <ul style="list-style-type: none">The declared performance is linked to the identification code in the attached product serie list. | | |

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point

ECZACIBASI BUILDING MATERIALS
VİTRA FAUCET DIVISION
4 Eylül Mah. İnönü Cad. Düzdağ Yolu 1
No: 4 11300 Bozüyük - BİLECİK / TURKEY

Nazlı ERBAŞ

Quality Assurance Asst. Specialist



Mesut ÜNAL
Quality Assurance Manager

ECZACIBASI BUILDING MATERIALS
VİTRA FAUCET DIVISION
4 Eylül Mah. İnönü Cad. Düzdağ Yolu 1
No: 4 11300 Bozüyük - BİLECİK / TURKEY

Place and Date of issue :

Eczacıbaşı Building Materials VİTRA Faucet Division
Bozüyük- BİLECİK/ TURKEY
12.09.2018

DECLARATION OF PERFORMANCE**No. DoP-15091-01/E**

| Product No | Serie | Designation |
|-------------------|--------------|--------------------|
| A47008 XXX | AQUASEE | EN 15091 |
| A47020 XXX | AQUASEE | EN 15091 |
| A47021 XXX | AQUASEE | EN 15091 |
| A47043 XXX | AQUASEE | EN 15091 |
| A47046 XXX | AQUASEE | EN 15091 |
| A47060 XXX | AQUASEE | EN 15091 |
| A47061 XXX | AQUASEE | EN 15091 |
| A47062 XXX | AQUASEE | EN 15091 |
| A47063 XXX | AQUASEE | EN 15091 |
| A47064 XXX | AQUASEE | EN 15091 |
| A47065 XXX | AQUASEE | EN 15091 |
| A47076 XXX | AQUASEE | EN 15091 |
| A47077 XXX | AQUASEE | EN 15091 |
| A47078 XXX | AQUASEE | EN 15091 |
| A47079 XXX | AQUASEE | EN 15091 |
| A47080 XXX | AQUASEE | EN 15091 |
| A47081 XXX | AQUASEE | EN 15091 |
| A47100 XXX | AQUASEE | EN 15091 |
| A47101 XXX | AQUASEE | EN 15091 |
| A47102 XXX | AQUASEE | EN 15091 |
| A47103 XXX | AQUASEE | EN 15091 |
| A47104 XXX | AQUASEE | EN 15091 |
| A47105 XXX | AQUASEE | EN 15091 |

DECLARATION OF PERFORMANCE**No. DoP-15091-01/E**

| | | |
|------------|---------|----------|
| A47106 XXX | AQUASEE | EN 15091 |
| A47107 XXX | AQUASEE | EN 15091 |