

**DECLARATION OF PERFORMANCE****No. DoP-1111-01/E**

1. Unique identification code of the product type:

**Sanitary tapware - Thermostatic mixing valves (PN 10)  
General technical specification  
See the list attached**

2. Product type, Batch or serial number or any other element allowing identification of the construction products as required under Article 11 (4) of the CPR:

**It is applicable;**

- **To valves intended for use on sanitary appliances in kitchens, washrooms (incl. All rooms with sanitary tapware, e.g. toilets and cloakrooms) and bathrooms.**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Personal Hygiene ( PH ) / Type 2**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required 11 ( 5 )

**Eczacıbaşı Building Materials ArtemA Faucet Division  
4 Eylül Mah. İ. İnönü Cad. Düzdağ Yolu 1 No : 4  
Bozüyük/BİLECİK  
TURKEY**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Eczacıbaşı Building Materials - ARTEMA Faucet Division  
4 Eylül Mah. İ. İnönü Cad. Düzdağ Yolu 1 No : 4  
Bozüyük/BİLECİK  
TURKEY**

**Tel : 00 90 228 314 07 90**

**Fax : 00 90 228 314 07 96**

**Email : [ipek.barin@vitra.com.tr](mailto:ipek.barin@vitra.com.tr)**

**<http://vitraglobal.com/>**

6. System or systems of assessment and verification of consistency of performance of the construction product as set out in CPR, Annex V:

**System 4**

## DECLARATION OF PERFORMANCE

No. DoP-1111-01/E

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard.

TS EN 1111

8. Declared performance:

Product : TS EN 1111		
Essential Characteristics	Performance	Harmonised Technical Specification
Dynamic Pressure	≥ 0,5 Bar - Pass	TS EN 1111 November, 2006
Static Pressure	≤ 10 Bar - Pass	
Temperature – Hot	≤ 90 °C - Pass	
Temperature - Cold	≤ 25 °C - Pass	
<ul style="list-style-type: none"><li>The declared performance is linked to the identification code in the attached product serie list.</li></ul>		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point



Hazal İpek BARIN

Quality Assurance Specialist



Kubilay SELİŞİK

Management Representative

Place and Date of issue :

Eczacıbaşı Building Materials VİTRA Faucet Division

Bozüyük- BİLECİK/ TURKEY

01.03.2018

## DECLARATION OF PERFORMANCE

No. DoP-1111-01/E

Product No	Serie	Designation
A42262 XXX	AQUAHEAT	EN 1111
A42270 XXX	AQUAHEAT	EN 1111
A42271 XXX	AQUAHEAT	EN 1111
A42272 XXX	AQUAHEAT	EN 1111
A42273 XXX	AQUAHEAT	EN 1111
A42274 XXX	AQUAHEAT	EN 1111
A42275 XXX	AQUAHEAT	EN 1111
A42276 XXX	AQUAHEAT	EN 1111
A42277 XXX	AQUAHEAT	EN 1111
A42278 XXX	AQUAHEAT	EN 1111
A42290 XXX	AQUAHEAT	EN 1111
A42291 XXX	AQUAHEAT	EN 1111
A42292 XXX	AQUAHEAT	EN 1111
A47015 XXX	AQUAHEAT	EN 1111
A47016 XXX	AQUAHEAT	EN 1111
A47024 XXX	AQUAHEAT	EN 1111
A47025 XXX	AQUAHEAT	EN 1111
A47026 XXX	AQUAHEAT	EN 1111
A47055 XXX	AQUAHEAT	EN 1111
A47056 XXX	AQUAHEAT	EN 1111
A47084 XXX	AQUAHEAT	EN 1111
A47097 XXX	AQUAHEAT	EN 1111
A47098 XXX	AQUAHEAT	EN 1111

## DECLARATION OF PERFORMANCE

No. DoP-1111-01/E

A47099 XXX	AQUAHEAT	EN 1111
A47157 XXX	AQUAHEAT	EN 1111
A47158 XXX	AQUAHEAT	EN 1111
A47159 XXX	AQUAHEAT	EN 1111
A47160 XXX	AQUAHEAT	EN 1111
A47163 XXX	AQUAHEAT	EN 1111
A47164 XXX	AQUAHEAT	EN 1111
A47168 XXX	AQUAHEAT	EN 1111