

**DECLARATION OF PERFORMANCE****No. DoP-14055-01**

1. Unique identification code of the product type:

**WC flushing cistern – Class 1**  
See the list attached

2. Product type, Batch or serial number or any other element allowing identification of the construction products as required under Article 11 (4) of the CPR:

**WC and urinal flushing cisterns with flushing mechanism, inlet valve and overflow**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**Personal Hygiene ( PH )**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required 11 ( 5 )

**Eczacıbaşı Building Materials ArtemA Faucet Division**  
4 Eylül Mah. İ. İnönü Cad.  
Düzdağ Yolu 1 No : 4

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Eczacıbaşı Building Materials**  
Faucet Division  
4 Eylül Mah. İ. İnönü Cad.  
Düzdağ Yolu 1 No : 4  
Tel : 00 90 228 314 07 90  
Fax : 00 90 228 314 07 96  
Email : [ipek.barin@eczacibasi.com.tr](mailto:ipek.barin@eczacibasi.com.tr)  
<http://vitraglobal.com/>

6. System or systems of assessment and verification of consistency of performance of the construction product as set out in CPR, Annex V:

**System 4**

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard.

TS EN 14055+A1

## DECLARATION OF PERFORMANCE

No. DoP-14055-01

## 8. Declared performance:

<b>Product :</b> WC Flushing Cistern of Class 1 <b>Intended use:</b> Personal Hygiene		
Essential Characteristics	Performance	Harmonised Technical Specification
Watertightness/Leaktightness	Pass	TS EN 14055 + A1 October, 2015
Outlet Valve Reliability	VR 2	
Noise level	NL 1	
Flushing volume	Pass	
Durability	Pass	
• The declared performance is linked to thenique identification code in th attached list.		

## 9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.



**Hazal İpek BARIN**  
Quality Assurance Specialist

ECZACIBAŞI YAPI GEHEÇLER,  
SANAYİ TİCARET A.Ş.  
ARTEMA ARMATÜR GRUBU



**Kubilay SELİŞİK**  
Management Representative

Place and Date of issue : Eczacıbaşı Building Materials VİTRA Faucet Division,  
Bozüyük- BİLECİK, TURKEY

09/08/2017

## DECLARATION OF PERFORMANCE

No. DoP-14055-01

Product No	Name	Designation Code
700-1850	Artema Set-1	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1851	Artema Set-2	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1852	Artema Set-3	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1853	Concealed Cistern Form 300 Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1854	Concealed Cistern Water Jewels Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1855	Concealed Cistern Mode Set 1	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1856	ArtemaSet-7(Con.Cis. + Control Panel + Wall-Hung WC Pan.+Cap))	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1857	SelenaSet(Con.Cis.+ Pan+ Wall-Hung WC Pan.+Cap)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1858	Concealed Cistern Step Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1859	Concealed Cis.Set (12cm, P.Krom Panelli)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1860	Concealed Cis.Set (12cm, M.Krom Panelli)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1861	Concealed Cis.Set (8 cm, P.Krom Panelli)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1862	Concealed Cis.Set (8 cm, M.Krom Panelli)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1863	Concealed Cis.Set (740-1851-01+740-0680)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1864	ConcealedCis.Set(740-1851-01+740-0680+A41415)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1865	Concealed Cis.Set (740-1851-01+740-0685+A41415)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1866	Concealed Cis.Set (742-1851-01+740-1212)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1867	Concealed Cis.Set (740-1851-01+740-0585+a41415)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1868	Concealed Cis.Set(748-1851+740-0680+41441+41449)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1869	3/6 L CC+Control Panel+Stop Valve Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1870	3/6 L CC+Control Panel+Stop Valve Set	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1871	ConcealedCis.Set(748-1851+740-0585+41441+41449)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1872	Concealed Cis.Set(742-5800-01+740-0580)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1873	Concealed Cis.Set(742-5800-01+740-0480)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1874	Concealed Cis.Set(720-1851-01+720-0100)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1875	Concealed Cis.Set(720-1851-01+720-0180)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1876	Concealed Cis.Set(742-5800-01+740-0480)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1877	Norm GR Closet Set(720-1700+720-0100)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1878	Norm GR Closet Set(720-1700+720-0155)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1879	Norm GR Closet Set(720-1700+720-0180)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1880	Norm Stand Set(720-1851+720-01**)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA

## DECLARATION OF PERFORMANCE

No. DoP-14055-01

700-1881	Norm GR Sheetrock Set(720-5800+720-0100)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1882	Norm GR Sheetrock Set(720-5800+720-0155)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1883	Norm GR Sheetrock Set(720-5800+720-0180)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1884	Concealed Cis.+Control Panel .(SEA)(1851+0155)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1885EXP	Con.Cis.1800set(720-1800EXP+720-0100EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1886EXP	Con.Cis.1800Set(720-1800EXP+720-0180EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1887EXP	Con.Cis.1800Set(720-1800EXP+720-0185EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1888EXP	Con.Cis.1851Set(720-1851EXP+720-0100EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1889EXP	Con.Cis.1851Set(720-1851EXP+720-0180EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1890EXP	Con.Cis.1851Set(720-1851EXP+720-0185EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1891EXP	Con.Cis.5800Set(720-5800EXP+720-0100EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1892EXP	Con.Cis.5800Set(720-5800EXP+720-0180EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1893EXP	Con.Cis.5800Set(720-5800EXP+720-0185EXP)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1894	Con.Cis Set.(750-1851+740-0680+41441+41449)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1895	Con.Cis Set.(750-1851+740-0685+41441+41449)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1896	Concealed Cis.Set(742-5800-01+740-0480)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
700-1897	Concealed Cis.Set(742-5800-01+740-0480)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1700-01	Concealed Cis. Front Operated	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1700-01EXP	Concealed Cis. Front Operated	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1700-01IND	Concealed Cis. Front Operated	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1720-01	CC 3/6L-for Fl.Stand.Single WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1720-01EXP	CC 3/6L-for Fl.Stand.Single WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1720-01IND	CC 3/6L-for Fl.Stand.Single WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1730-01	Concealed Cis. 3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1730-01EXP	Concealed Cis. 3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1730-01IND	Concealed Cis. 3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1731-01IND	Concealed Cis. 3/6L	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1800-01	Concealed Cis. 3/6L w.out/M.Brackets	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1800-01EXP	Concealed Cis. 3/6L w.out/M.Brackets	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1800-01IND	Concealed Cis. 3/6L w.out/M.Brackets	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01EXP	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01IND	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01SEA	Con. Cis. -Metal Ayaklı (SEA)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-1851-01SEL	Con. Cis. -Metal Ayaklı (SEL)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5800-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5800-01EXP	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA



## DECLARATION OF PERFORMANCE

No. DoP-14055-01

720-5800-01IND	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5801-01EXP	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5801-01IND	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5803-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
720-5813-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1700-01	Concealed Cis. Front Operated-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1700-01UYT	Concealed Cis. Front Operated-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1720-01	CC 3/6L-for Fl.Stand.Single WC Pan-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1730-01	Concealed Cis. 3/6L-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1735-01	Concealed Cis. 3/6L-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1750-01	CC 3/6L Standard Ins. f/Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1800-01	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1804-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1850-01	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1850-01UYT	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1851-01	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-1851-01UYT	Concealed Cis.3/6L w.out/M.Brackets-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-4800-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-4802-01	CC Front Oper.DF(Light Weight Cons.Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-4805-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5800-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5802-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5803-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5804-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5805-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5813-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-12cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5850-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5900-01	CONCEALED CISTERN (3/6 Lt) (12cm)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
742-5900-03	CONCEALED CISTERN (4.8 Lt) (12cm)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1700-01	Concealed Cis. Front Operated-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1700-01UYT	Concealed Cis. Front Operated-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1720-01	CC 3/6L-for Fl.Stand.Single WC Pan-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1730-01	Concealed Cis. 3/6L-8 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1730-01IND	MRP PRICE: 6.760 INR Importer : Eczacıbaşı Yapı Gerçleri A.Ş.	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA

## DECLARATION OF PERFORMANCE

No. DoP-14055-01

748-1731-01IND	Concealed Cis. 3/6L-12 cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1800-01	Concealed Cis. 3/6L w.out/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1800-01IND	Concealed Cis. 3/6L w.out/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1804-01	Concealed Cis. 3/6L w.out/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1850-01	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1850-01IND	Concealed Cistern 3/6L-Slim	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1850-01UYT	Concealed Cistern 3/6L-Slim	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1851-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1851-01UYT	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-1857-01	CONCEALED CISTERN 3/6 LT	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-4800-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-4802-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-4805-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5800-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5800-01IND	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5802-01	CC 3/6L (Pre-Wall Gypsumplate Wall)	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5804-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5805-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
748-5850-01	CC 3/6L Rapid Ins.For Wall-Hung WC Pan	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-1850-01	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-1850-01UYT	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-1851-01	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-1851-01UYT	Concealed Cis. 3/6L w/M.Brackets-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-4800-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-5800-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-5801-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA
750-5802-01	CC 3/6L (Pre-Wall Gypsumplate Wall)-8cm	EN 14055 - CL 1 - 6 - NL 1 -VR II - WL -DA